



Mounting: recessed/surface mounted
Housing: extruded aluminum
Lengths: up to 2m standard (other longer sizes are available on request)
Finish options: standard matte grey (other colors are available on request)
Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)
End caps: plastic (with/without holes)


Application: indoors
 used with strip lights (SMD, flexible, rigid)
 cabinet lighting, cove
 feature/accent lighting
 built in walls, shelves, ceilings, ground, etc.




10.18.001



End caps with hole or without hole (ABS material)



Aluminum profile





PC opal




Mounting bracket (metal)



10.18.002



End cap with hole
End cap without hole






Aluminum profile




Mounting brackets (metal)




10.18.003




End cap with hole
End cap without hole



Aluminum profile






PMMA opal




Installation Steps




10.18.004




End cap with hole
End cap without hole



Aluminum profile



PMMA clear opal
PMMA semi-clear opal



Spring clip

aluminum channels

ELTE

Mounting: recessed/surface mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)

End caps: plastic (with/without holes)

Application: indoors

used with strip lights (SMD, flexible, rigid)




cabinet lighting, cove

feature/accent lighting

built in walls, shelves, ceilings, ground, etc.



10.18.005




Aluminum profile



End cap with hole
End cap without hole






Adjustable
mounting clip



PMMA opal diffuser
PMMA clear diffuser
PMMA semi-opal diffuser




10.18.006




Aluminum profile



End cap with hole
End cap without hole






PMMA opal
PMMA clear
PMMA semi-opal




Installation Steps




10.18.007




Aluminum profile



End cap with hole
End cap without hole






PMMA opal
PMMA clear



Installation Steps




10.18.008




Aluminum profile



End cap with hole
End cap without hole



PMMA opal
PMMA clear
PMMA semi-opal



Mounting brackets
(metal)



Mounting brackets (PC)

recessed linear LED strip lighting used along with aluminum channels is the best solution for shelves illumination for goods emphasis

10.18.005



combination of recessed / surface mounted aluminum housing with appropriate LED strip lights offered in power matching required lux level



aluminum channels

ELTE

Mounting: surface mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)

End caps: plastic (with/without holes)

Application: indoors



used with strip lights (SMD, flexible, rigid)

cabinet lighting, cove


feature/accent lighting, shelves




10.18.009




End cap with hole
End cap without hole



Aluminum profile






Mounting brackets
(metal)




PMMA opal
PMMA clear




10.18.010




Mounting brackets (PC)




Aluminum profile





Mounting brackets
(metal)




PMMA opal
PMMA clear




10.18.011



End cap with hole
End cap without hole



Aluminum profile



PMMA opal
PMMA semi
PC clear

recessed mounted into ceiling linear LED strip lighting in aluminum channels
as an additional illumination of the exposed items on sale

10.18.007



combination of recessed linear LED strip lights in aluminum housing mounted in the side walls along with
downlights from the ceiling increase the ambient atmosphere and emphasis on the sold items

10.18.008



Mounting: surface mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)

End caps: plastic (with/without holes)

Application: indoors

used with strip lights (SMD, flexible, rigid)

cabinet lighting, cove

feature/accent lighting, shelves

10.18.012		End cap with hole End cap without hole	Aluminum profile (for strips)	Mounting profile	PMMA opal PMMA clear
10.18.013		End cap with hole End cap without hole	Aluminum profile	Mounting profile	PMMA clear lens (lens, 45°degrees)
10.18.014		End cap with hole End cap without hole	Aluminum profile (for strips)	Mounting profile	PMMA opal PMMA clear
10.18.015		End cap with hole End cap without hole	Mounting profile	PMMA opal PMMA semi opal	Installation Steps

surface mounted continuous linear LED strip lighting in aluminum channels
flat and bright for 4m high ceiling



under-shelf lighting with exposed opal diffuser
to give surrounded illumination to cover wide shelf's area



aluminum channels

Mounting: surface mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)




End caps: plastic (with/without holes)

Application: indoors


used with strip lights (SMD, flexible, rigid)
cabinet lighting, cove, accent lighting
walls, ceilings, shelves




10.18.016



PMMA opal
PMMA semi-opal



End cap with hole
End cap without hole






Aluminum profile



Mounting steel brackets




10.18.017




PMMA opal
PMMA semi opal



End cap with hole
End cap without hole






Aluminum profile




Mounting steel brackets




10.18.018



Mounting bracket





Aluminum profile




PC opal
PC semi opal




10.18.019




Mounting bracket



End cap with hole
End cap without hole



PC opal diffuser
PC semi opal diffuser



Aluminum profile

recessed linear LED lights for under-shelf lighting
flat and slim

10.18.009



suspended continuous linear LED lights
functional areas



recessed continuous linear LED lighting for office illumination
decorative and functional

10.18.012



Mounting: recessed/surface mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)

End caps: plastic (with/without holes)

Application: indoors

used with strip lights (SMD, flexible, rigid)
cabinet lighting, cove, accent lighting
walls, ceilings, shelves

10.18.020	mm	End cap with hole End cap without hole	Aluminum profile	PMMA opal PMMA semi opal	Mounting clip (metal)
10.18.021	mm	End cap with hole End cap without hole	Aluminum profile	PMMA opal PMMA semi opal	
10.18.022	mm	End cap with hole End cap without hole	Aluminum profile	PMMA opal PMMA semi opal	
10.18.023	mm	End cap with hole End cap without hole	Aluminum profile	PMMA opal PMMA semi	Mounting brackets
		1	2	3	Installation Steps

recessed linear LED lights for under-shelf lighting
flat and slim

10.18.020



suspended continuous linear LED lighting for office illumination
decorative and functional

10.18.022



aluminum channels

ELTE

Mounting: surface mounted in corners

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)


Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)

End caps: plastic (with/without holes)

Application: indoors

used with strip lights (SMD, flexible, rigid)
cabinet lighting, cove



Mounting: surface mounted / suspended / wall mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)


Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)



End caps: plastic (with/without holes)

Application: indoors

used with strip lights (SMD, flexible, rigid)
cabinet lighting, cove




10.18.028






End cap with hole
End cap without hole




Mounting steel brackets




10.18.029



Aluminum profile



End cap with hole
End cap without hole



PMMA opal
PMMA clear
PMMA semi opal






Mounting brackets (PC)



Mounting steel brackets




10.18.030




Aluminum profile



End cap with hole
End cap without hole



PMMA opal
PMMA semi-opal



recessed continuous LED lighting
mounted into walls and ceiling
decorative and functional

aluminum channels

Mounting: wall mounted: recessed / surface

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)


End caps: plastic (with/without holes)

Application: indoors



used with strip lights (SMD, flexible, rigid)

private, residential


show-rooms, offices, homes, etc.




10.18.031



End cap with hole
End cap without hole






Aluminum profile




PMMA opal
PMMA semi-opal



10.18.032




Aluminum profile



PMMA opal
PMMA clear
PMMA semi-opal






Mounting steel clip




End cap with hole
End cap without hole



10.18.033




Aluminum profile




PC opal



End caps without hole






Aluminum profile




Front cover




10.18.034




End cap with hole
End cap without hole




Aluminum profile
(for strips)




Aluminum profile



PMMA opal
PMMA semi-opal




Mounting profile




10.18.031

recessed continuous LED lighting
mounted into walls
staircase areas



10.18.032

surface wall mounted, up-down
office / home areas



10.18.033

surface wall mounted, up-down
office / home areas

aluminum channels

ELTE

Mounting: recessed (in-ground) / steps mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)



Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)

End caps: plastic (with/without holes)


Application: indoors/outdoors
used with strip lights (SMD, flexible, rigid)
public/private
gardens, parks, hotels,
offices, homes, show-rooms, etc.




10.18.035



End cap with hole
End cap without hole






Aluminum profile




PC opal




10.18.036




End cap with hole
End cap without hole






Aluminum profile




PC opal




10.18.037



End cap without hole





Aluminum profile




PMMA opal
PMMA semi-opal
PMMA clear




10.18.038




End cap with hole
End cap without hole



Aluminum profile



PMMA opal
PMMA semi-opal
PMMA clear



10.18.036



recessed continuous LED lighting
mounted into walls
staircase areas

10.18.038



recessed LED lighting
mounted into steps
cinema theater areas

aluminum channels

ELTE

Mounting: suspended / surface mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)


















End caps: plastic (with/without holes)

Application: indoors

used with strip lights (SMD, flexible, rigid)

public/private

offices, show-rooms, etc.




 10.18.039		 Aluminum profile	 End cap with hole End cap without hole	 PMMA opal PMMA semi-opal	 Mounting clip (metal) Suspension wire (2m)
 10.18.040		 End cap without hole	 Aluminum profile	 PMMA opal PMMA semi-opal	 Suspension wire (2m)
 10.18.041		 End cap with hole End cap without hole	 Aluminum profile	 PMMA opal PMMA semi-opal	 Suspension wire (2m) Installation Steps
 10.18.042		 End cap with hole End cap without hole	 PC opal	 Aluminum profile	 Suspension wire (2m)

Mounting: suspended
Housing: extruded aluminum
Lengths: up to 2m standard (other longer sizes are available on request)
Finish options: standard matte grey (other colors are available on request)
Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)
End caps: plastic (with/without holes)


Application: indoors
used with strip lights (SMD, flexible, rigid)
public/private
offices, show-rooms, etc.




10.18.043



End cap without hole



Aluminum profile





PMMA opal




Suspension wire (2m)



10.18.044




End cap without hole



Aluminum profile





Suspension wire (2m)




PMMA semi-opal
PMMA opal




10.18.045



End cap




Aluminum profile



PMMA opal
PMMA semi-opal



Suspension wire (2m)




90° coupler

120° coupler

180° coupler

Custom couplers

Custom channels



90° connecting



120° connecting

180° connecting



aluminum channels

ELTE

Mounting: suspended / surface mounted

Housing: extruded aluminum

Lengths: up to 2m standard (other longer sizes are available on request)

Finish options: standard matte grey (other colors are available on request)

Diffuser: opal (DF.OPL) / transparent (DF.TNS) (clear)/semi-transparent/opal (DF.SMO)

End caps: plastic (with/without holes)

Application: indoors

used with strip lights (SMD, flexible, rigid)

public/private

offices, show-rooms, etc.

